BRAIN RESEARCH

VOL. 657 NOS. 1/2 **CONTENTS** **19 SEPTEMBER 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of Manuscripts v

Research Reports

Systemic administration of CCK-8S, but not CCK-4, enhances dopamine turnover in the posterior nucleus accumbens: a microdialysis study in freely moving rats
K. Kariya, J. Tanaka and M. Nomura (Japan) 1

Nitric oxide synthase-immunoreactive nerve fibers in the nasal mucosa of the rat
T. Hanazawa, A. Konno, T. Kaneko, K. Tanaka, H. Ohshima, H. Esumi and T. Chiba (Japan) 7

Effects of *iboga* alkaloids on morphine and cocaine self-administration in rats: relationship to tremorigenic effects and to effects on dopamine release in nucleus accumbens and striatum
S.D. Glick, M.E. Kuehne, J. Raucci, T.E. Wilson, D. Larson, R.W. Keller Jr. and J.N. Carlson (USA) 14

The role of stretch reflex threshold regulation in normal and impaired motor control
M.F. Levin and A.G. Feldman (Canada) 23

Parvalbumin-immunopositive neurons in rat globus pallidus: a light and electron microscopic study
H. Kita (USA) 31

A quantitative comparison on the effects of benztropine, cocaine and nomifensine on electrically evoked dopamine overflow and rate of re-uptake in the caudate putamen and nucleus accumbens in the rat brain slice
W.J. Wieczorek and Z.L. Kruk (UK) 42

Effect of pentobarbital on postischemic MK-801, muscimol, and naloxone bindings in the gerbil brain
Y. Kanai, T. Araki, H. Kato and K. Kogure (Japan) 51

Hippocampal corticosteroid receptor mRNA expression and spatial learning in the aged Wistar rat
J.L.W. Yau, R.G.M. Morris and J.R. Seckl (UK) 59

Autoradiographic analysis of L- and N-type voltage-dependent calcium channel binding in canine brain after global cerebral ischemia/reperfusion
D.C. Perry, H. Wei, R.E. Rosenthal and G. Fiskum (USA) 65

Caudal portions of the spinal trigeminal complex are necessary for autonomic responses and display Fos-like immunoreactivity after corneal stimulation in the cat
D.A. Bereiter, C.B. Hathaway and A.P. Benetti (USA) 73

Glucocorticoid regulation of mRNA encoding (Na + K)ATPase α_3 and β_1 subunits in rat brain measured by in situ hybridization
C. Grillo, G. Piroli, S.L. González, J. Angulo, B.S. McEwen and A.F. De Nicola (Argentina, USA) 83

Are ventromedial medulla neuronal properties modified by chronic peripheral inflammation? A single-unit study in the awake, freely moving polyarthritic rat
J. Montagne-Clavel and J.-L. Olivéras (France) 92

Effects of steroidal and non steroidal aromatase inhibitors on sexual behavior and aromatase-immunoreactive cells and fibers in the quail brain
A. Foidart, N. Harada and J. Balthazart (Belgium, Japan) 105

Axonal transport of manganese and its relevance to selective neurotoxicity in the rat basal ganglia
W.N. Sloot and J.-B.P. Gramsbergen (Netherlands) 124

Cutaneous hyperalgesia induced by peripheral injection of interleukin-1β in the rat
H. Fukuoka, M. Kawatani, T. Hisamitsu and C. Takeshige (Japan) 133

Effects of corticosterone on CRH mRNA and content in the bed nucleus of the stria terminalis; comparison with the effects in the central nucleus of the amygdala and the paraventricular nucleus of the hypothalamus
S. Makino, P.W. Gold and J. Schulkin (USA) 141

Microzonal decreases in the immunostaining for non-NMDA ionotropic excitatory amino acid receptor subunits GluR 2/3 and GluR 5/6/7 in the human epileptogenic neocortex
J. DeFelipe, G.W. Huntley, M.R. Del Río, R.G. Sola and J.H. Morrison (Spain, USA) 150

Cholecystokinin octapeptide (CCK-8) antagonizes morphine analgesia in nucleus accumbens of the rat via the CCK-B receptor
S.-F. Pu, H.-X. Zhuang and J.-S. Han (People's Republic of China) 159

Working memory performance and cholinergic effects in the ventral tegmental area and substantia nigra
E.D. Levin, S.J. Briggs, N.C. Christopher and J.T. Auman (USA) 165

Vasotocinergic innervation of sexually dimorphic medial preoptic nucleus of the male Japanese quail: influence of testosterone
C. Viglietti-Panzica, N. Aste, J. Balthazart and G.C. Panzica (Italy, Belgium) 171

(contents continued on p. 360)

0006-8993(19940919)657:1/2;1-C

BRAIN RESEARCH

VOL. 657 NOS. 1/2 **CONTENTS** **19 SEPTEMBER 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of Manuscripts v

Research Reports

Systemic administration of CCK-8S, but not CCK-4, enhances dopamine turnover in the posterior nucleus accumbens: a microdialysis study in freely moving rats
K. Kariya, J. Tanaka and M. Nomura (Japan) 1

Nitric oxide synthase-immunoreactive nerve fibers in the nasal mucosa of the rat
T. Hanazawa, A. Konno, T. Kaneko, K. Tanaka, H. Ohshima, H. Esumi and T. Chiba (Japan) 7

Effects of *iboga* alkaloids on morphine and cocaine self-administration in rats: relationship to tremorigenic effects and to effects on dopamine release in nucleus accumbens and striatum
S.D. Glick, M.E. Kuehne, J. Raucci, T.E. Wilson, D. Larson, R.W. Keller Jr. and J.N. Carlson (USA) 14

The role of stretch reflex threshold regulation in normal and impaired motor control
M.F. Levin and A.G. Feldman (Canada) 23

Parvalbumin-immunopositive neurons in rat globus pallidus: a light and electron microscopic study
H. Kita (USA) 31

A quantitative comparison on the effects of benztropine, cocaine and nomifensine on electrically evoked dopamine overflow and rate of re-uptake in the caudate putamen and nucleus accumbens in the rat brain slice
W.J. Wieczorek and Z.L. Kruk (UK) 42

Effect of pentobarbital on postischemic MK-801, muscimol, and naloxone bindings in the gerbil brain
Y. Kanai, T. Araki, H. Kato and K. Kogure (Japan) 51

Hippocampal corticosteroid receptor mRNA expression and spatial learning in the aged Wistar rat
J.L.W. Yau, R.G.M. Morris and J.R. Seckl (UK) 59

Autoradiographic analysis of L- and N-type voltage-dependent calcium channel binding in canine brain after global cerebral ischemia/reperfusion
D.C. Perry, H. Wei, R.E. Rosenthal and G. Fiskum (USA) 65

Caudal portions of the spinal trigeminal complex are necessary for autonomic responses and display Fos-like immunoreactivity after corneal stimulation in the cat
D.A. Bereiter, C.B. Hathaway and A.P. Benetti (USA) 73

Glucocorticoid regulation of mRNA encoding (Na + K)ATPase α_3 and β_1 subunits in rat brain measured by in situ hybridization
C. Grillo, G. Piroli, S.L. González, J. Angulo, B.S. McEwen and A.F. De Nicola (Argentina, USA) 83

Are ventromedial medulla neuronal properties modified by chronic peripheral inflammation? A single-unit study in the awake, freely moving polyarthritic rat
J. Montagne-Clavel and J.-L. Olivéras (France) 92

Effects of steroidal and non steroidal aromatase inhibitors on sexual behavior and aromatase-immunoreactive cells and fibers in the quail brain
A. Foidart, N. Harada and J. Balthazart (Belgium, Japan) 105

Axonal transport of manganese and its relevance to selective neurotoxicity in the rat basal ganglia
W.N. Sloot and J.-B.P. Gramsbergen (Netherlands) 124

Cutaneous hyperalgesia induced by peripheral injection of interleukin-1β in the rat
H. Fukuoka, M. Kawatani, T. Hisamitsu and C. Takeshige (Japan) 133

Effects of corticosterone on CRH mRNA and content in the bed nucleus of the stria terminalis; comparison with the effects in the central nucleus of the amygdala and the paraventricular nucleus of the hypothalamus
S. Makino, P.W. Gold and J. Schulkin (USA) 141

Microzonal decreases in the immunostaining for non-NMDA ionotropic excitatory amino acid receptor subunits GluR 2/3 and GluR 5/6/7 in the human epileptogenic neocortex
J. DeFelipe, G.W. Huntley, M.R. Del Río, R.G. Sola and J.H. Morrison (Spain, USA) 150

Cholecystokinin octapeptide (CCK-8) antagonizes morphine analgesia in nucleus accumbens of the rat via the CCK-B receptor
S.-F. Pu, H.-X. Zhuang and J.-S. Han (People's Republic of China) 159

Working memory performance and cholinergic effects in the ventral tegmental area and substantia nigra
E.D. Levin, S.J. Briggs, N.C. Christopher and J.T. Auman (USA) 165

Vasotocinergic innervation of sexually dimorphic medial preoptic nucleus of the male Japanese quail: influence of testosterone
C. Viglietti-Panzica, N. Aste, J. Balthazart and G.C. Panzica (Italy, Belgium) 171

(contents continued on p. 360)

0006-8993(19940919)657:1/2;1-C

(contents continued)

Nicotinic and muscarinic acetylcholine responses in the embryo chick ciliary ganglion cells
K. Furukawa, Y. Abe, M. Sorimachi and N. Akaike (Japan) 185
Selective alterations in macronutrient intake of food-deprived or glucoprivic rats by centrally-administered opioid receptor subtype antagonists in rats
J.E. Koch and R.J. Bodnar (USA) 191
Bradykinin-evoked non-specific cationic current in neuroblastoma-glioma hybrid (NG108-15) cells and its down-regulation through differentiation
N. Tokutomi, Y. Tokutomi, K. Fukunaga, E. Miyamoto and K. Nishi (Japan) 202
Bromocriptine protects mice against 6-hydroxydopamine and scavenges hydroxyl free radicals in vitro
N. Ogawa, K.-i. Tanaka, M. Asanuma, M. Kawai, T. Masumizu, M. Kohno and A. Mori (Japan) 207
Modulation of temporalis muscle exteroceptive suppression by limb stimuli in normal man
J. Schoenen, W. Wang and P. Gerard (Belgium) 214
Neuroanatomical organization of GnRH neuronal systems in the lizard (*Podarcis s. sicula*) brain during development
B. D'Aniello, C. Pinelli, J.A. King and R.K. Rastogi (Italy, South Africa) 221
The effects of long-term corticosterone administration on hippocampal morphology and cognitive performance of middle-aged rats
I. Arbel, T. Kadar, M. Silbermann and A. Levy (Israel) 227
Animals predisposed to develop amphetamine self-administration show higher susceptibility to develop contextual conditioning of both amphetamine-induced hyperlocomotion and sensitization
C. Jodogne, M. Marinelli, M. Le Moal and P.V. Piazza (France) 236
Quantitative immunofluorescence data suggest a permanently enhanced GAD_{67}/GAD_{65} ratio in nerve endings in rat cerebral cortex damaged by early postnatal hypoxia-ischemia: a comparison between two computer-assisted procedures for quantification of confocal laser scanning microscopic immunofluorescence images
H.J. Romijn, A.W.J.W. Janszen and J. Van Marle (Netherlands) 245
Localization of barosensitive neurons in the caudal ventrolateral medulla which project to the rostral ventrolateral medulla
E. Badoer, M.J. McKinley, B.J. Oldfield and R.M. McAllen (Australia) 258
Motor expression of kainic acid seizures is attenuated by dopamine depletion in mice
U. Bonuccelli, D.S. Garant, R. Maggio and R. Fariello (Italy, USA) 269
Characterisation of the DA-ergic system in the mediobasal hypothalamus: a new approach to simultaneously monitor the release of DA from the TIDA neurons and the PRL secretion from the adenohypophysis in awake rats
W. Timmerman, M.E. Deinum, R.T. Poelman, B.H.C. Westerink and G.A. Schuiling (Netherlands) 275
Differential expression of the neuroendocrine polypeptide 7B2 in hypothalami of Prader-(Labhart)-Willi syndrome patients
B.A.Th.F. Gabreëls, D.F. Swaab, N.G. Seidah, H.L.P. Van Duijnhoven, G.J.M. Martens and F.W. Van Leeuwen (Netherlands, Canada) 281
Calcium/calmodulin-dependent protein kinase II immunostaining is preserved in Alzheimer's disease hippocampal neurons
N.A. Simonian, T. Elvhage, A.J. Czernik, P. Greengard and B.T. Hyman (USA) 294

Short Communications

A paradoxical inhibitory effect of xanthines on hippocampal excitability in calcium-free media
H. Hosseinzadeh and T.W. Stone (UK) 300
Measurement of DOPA and immunolocalization of L-DOPA-positive nerve fibers in rat dental pulp
K. Inoue, C.R. Creveling, N. Karasawa, G. Isomura and I. Nagatsu (Japan, USA) 307
Central opioid receptor subtype mediation of isoproterenol-induced drinking in rats
M.J. Glass, B. Hahn, A. Joseph and R.J. Bodnar (USA) 310
Experimental $\beta\beta'$-iminodipropionitrile (IDPN) neuropathy: neurofilament profile of sensory, motor and autonomic nerves as seen by immunocytochemistry on whole-mount preparations
G.-L. Ferri, A. Cichi, A. Bastone, R.M. Gaudio, N. Frontali and D. Dahl (Italy, USA) 315
Inhibition of discharge in inferior colliculus, A_{II} cortex and Ep cortex after presentations of click stimuli
M. Piesman, E.C. Chao, E. Gruen, C.D. Woody and E. Zotova (USA) 320
N-Methyl-D-aspartate receptor-mediated, prolonged afterdischarges of CA1 pyramidal cells following transient cerebral ischemia in the rat hippocampus in vivo
S. Miyazaki, Y. Katayama, M. Furuichi, T. Kano, A. Yoshino and T. Tsubokawa (Japan) 325
Inhibition of the A1 area prevents hemorrhage-induced secretion of vasopressin in rats
Z.J. Gieroba, L.N. Shapoval and W.W. Blessing (Australia) 330
Induction of Cu,Zn-superoxide dismutase after cortical contusion injury during hypothermia
T. Fukuhara, S. Nishio, Y. Ono, M. Kawauchi, S. Asari and T. Ohmoto (Japan) 333
SCP application or B15 stimulation activates cAPK in the ARC muscle of *Aplysia*
S.L. Hooper, W.C. Probst, E.C. Cropper, I. Kupfermann and K.R. Weiss (USA) 337
Fas antigen mRNA induction in postischemic murine brain
T. Matsuyama, R. Hata, M. Tagaya, Y. Yamamoto, T. Nakajima, J.-i. Furuyama, A. Wanaka and M. Sugita (Japan) 342
Alterations of adenosine A_1 receptors in morphine dependence
G.B. Kaplan, K.A. Leite-Morris and M.T. Sears (USA) 347
The role of corticosteroids in the acquisition of sensitization to locomotor stimulant effects of MK-801
K. Wędzony and A. Czyrak (Poland) 351

Author index 357